

People with Diabetes Undergoing Elective Surgery The Decree bilities of Driver Core

The Responsibilities of Primary Care

Dr Ketan Dhatariya MSc MD MS FRCP Consultant in Diabetes and Endocrinology Norfolk and Norwich University Hospitals





Excess Mean Length of Stay in Diabetes Inpatients Aged 18 – 60 Years 269,265 Diabetes Discharges and 4,411,593 Matched Controls


	Mean LOS (days)			Excess LOS (days)			n	
	E10	E11	С	E10	E11	E10	E11	С
Surg.	5.4 (0.1)	5.1 (0.1)	4.2 (0.2)	1.2	0.9	18,032	32,135	1,501,453
T &O	4.8 (0.1)	5.3 (0.2)	4.6 (0.1)	0.2	0.7	8,178	12,203	885,606
GM	4.8 (0.2)	5.4 (0.2)	4.4 (0.1)	0.4	1.0	70,988	82,446	1,709,553
Card.	4.2 (0.1)	4.2 (0.1)	3.8 (0.1)	0.4	0.4	5,307	15,009	229,784
MFE	4.8 (0.2)	5.6 (0.2)	4.7 (0.1)	0.1	0.1	2,444	4,549	85,197

E10 = Type 1 diabetes E11 = Type 2 diabetes c = controls

English Hospitals, 4 consecutive years of discharges 2000-2004

Sampson MJ et al Diabetes Research & Clinical Practice 2007;77(1):92-98

Do High Admission Glucose Levels Cause Harm?




- Patients with diabetes
- **▲** Patients without diabetes



NHS Foundation Trust

Do High Admission Glucose Levels Cause Harm?




- Patients with diabetes
- **Patients without diabetes**



NHS Foundation Trust


Do High Admission Glucose Levels Cause Harm?



- Patients with diabetes
- **Patients without diabetes**



Do High Admission Glucose Levels Cause Harm?



Fortunately There is This.....





Diabete

Management of adults with diabetes undergoing surgery and elective procedures: improving standards

Diabetes UK Position Statements and Care Recommendations

NHS Diabetes guideline for the perioperative management of the adult patient with diabetes*

K. Dhatariya¹, N. Levy², A. Kilvert³, B. Watson⁴, D. Cousins⁵, D. Flanagan⁶, L. Hilton⁷, C. Jairam⁸, K. Leyden³, A. Lipp¹, D. Lobo⁹, M. Sinclair-Hammersley¹⁰ and G. Rayman¹¹ for the Joint British Diabetes Societies

Diabet. Med. 29, 420-433 (2012)




Supporting, Improving, Caring



National Guidelines

- Document divided into sections:
 - Primary care
 - Surgical outpatients
 - Pre-operative assessment clinic
 - Hospital admission
 - Theatre and recovery
 - Post-operative care
 - Discharge





Primary Care Responsibilities

- Duration and type of diabetes
- Place of usual diabetes care (primary or secondary)
- Other co-morbidities
- Treatment
 - for diabetes oral agents/ insulin doses and frequency
 - for other co-morbidities
- Complications
 - At risk foot
- Renal impairment
- Cardiac disease
- Relevant measures
- BMI
- BP
- HbA1c
- eGFR





What Can You Do?

- Ensure that all patients with diabetes on your list are labelled as having diabetes
- Ensure that if a patient is referred for surgery, that you or your GP colleagues give all of the relevant information on the referral letters
- Try to optimise their glycaemic control prior to referral for surgery



People with Diabetes Undergoing Elective Surgery

The Responsibilities of Primary Care

Thank you for your attention

www.norfolkdiabetes.com

